

**To:** Rodriguez, Dante[Rodriguez.Dante@epa.gov]  
**From:** Dietrick McGinnis  
**Sent:** Tue 1/24/2017 7:31:16 PM  
**Subject:** RE: PE sample(s) for Yerington Anaconda site by ICP-MS Case

On it this afternoon. I just went through it enough to realize it was my turn to reply.

Dietrick

**Dietrick McGinnis PhD PE CEM**

**McGinnis & Associates**

**65 Regency Way, Suite C, Reno, NV 89509**

**775.853.0449 p, 775.853.0243 f**

**McGinnisandAssociates.com**

**From:** Rodriguez, Dante [mailto:Rodriguez.Dante@epa.gov]  
**Sent:** Tuesday, January 24, 2017 10:52 AM  
**To:** Dietrick McGinnis <dmcginnis@mcginnisandassociates.com>  
**Subject:** RE: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Dietrick –

Please followup with these guys regarding providing the bottled for the double blinds. They need them right away.

**Dante Rodriguez**

Remedial Project Manager

U.S. EPA Region 9

75 Hawthorne Street, SFD-8-2

San Francisco, CA 94105

(415)972-3166

**From:** Sturges, Susan

**Sent:** Tuesday, January 24, 2017 9:20 AM

**To:** Rodriguez, Dante <[Rodriguez.Dante@epa.gov](mailto:Rodriguez.Dante@epa.gov)>; Dietrick McGinnis  
<[dmcginnis@mcginnisandassociates.com](mailto:dmcginnis@mcginnisandassociates.com)>

**Cc:** Freitas, Richard <[Freitas.Richard@epa.gov](mailto:Freitas.Richard@epa.gov)>; Moody, Brett <[Moody.Brett@epa.gov](mailto:Moody.Brett@epa.gov)>;  
Appleby, Charlie <[Appleby.Charlie@epa.gov](mailto:Appleby.Charlie@epa.gov)>; Strout, Keith  
<[Keith.Strout@CBIFederalServices.com](mailto:Keith.Strout@CBIFederalServices.com)>

**Subject:** FW: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Dante, Dietrick –

Please let Keith Strout of QATS know right away if you still intend the PE sample to be double-blind. If so, empty bottles need to be sent asap and Keith requires highlighted information sent in an earlier email (also in email chain below).

Thank you.

Susan Sturges

Regional Sample Control Coordinator

U.S EPA Region 9 Laboratory

1337 S 46th Street, Bldg 201

Richmond, CA 94804-4600

Office: 510-412-2383

Email: [sturges.susan@epa.gov](mailto:sturges.susan@epa.gov)

R9 Regional Sample Control Center: 510-412-2389  
R9 RSCC email: [R9RSCC@epa.gov](mailto:R9RSCC@epa.gov)

<http://www.epa.gov/region9/lab/>

**From:** Moody, Brett  
**Sent:** Tuesday, January 24, 2017 5:12 AM  
**To:** Strout, Keith <[Keith.Strout@CBIFederalServices.com](mailto:Keith.Strout@CBIFederalServices.com)>; Dietrick McGinnis <[dmcginnis@mcginnisandassociates.com](mailto:dmcginnis@mcginnisandassociates.com)>; Freitas, Richard <[Freitas.Richard@epa.gov](mailto:Freitas.Richard@epa.gov)>; Sturges, Susan <[Sturges.Susan@epa.gov](mailto:Sturges.Susan@epa.gov)>  
**Cc:** Appleby, Charlie <[Appleby.Charlie@epa.gov](mailto:Appleby.Charlie@epa.gov)>; Hedin, Clyde <[Clyde.Hedin@CBIFederalServices.com](mailto:Clyde.Hedin@CBIFederalServices.com)>  
**Subject:** RE: PE sample(s) for Yerington Anaconda site by ICP-MS Case

There has been no response in the last week regarding this PE sample with this case. Could someone from R9 please update Keith Strout on this status?

Thanks,

Brett Moody

OLEM/OSRTI/TIFSD/Analytical Services Branch

CLP Inorganic Program Manager

Work: 703.603.9903/Cell: 571.289.8244

**From:** Moody, Brett  
**Sent:** Wednesday, January 18, 2017 11:11 AM  
**To:** 'Strout, Keith' <[Keith.Strout@CBIFederalServices.com](mailto:Keith.Strout@CBIFederalServices.com)>; Dietrick McGinnis <[dmcginnis@mcginnisandassociates.com](mailto:dmcginnis@mcginnisandassociates.com)>; Freitas, Richard <[Freitas.Richard@epa.gov](mailto:Freitas.Richard@epa.gov)>; Sturges, Susan <[Sturges.Susan@epa.gov](mailto:Sturges.Susan@epa.gov)>  
**Cc:** Appleby, Charlie <[Appleby.Charlie@epa.gov](mailto:Appleby.Charlie@epa.gov)>; Hedin, Clyde <[Clyde.Hedin@CBIFederalServices.com](mailto:Clyde.Hedin@CBIFederalServices.com)>

**Subject:** RE: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Thanks, Keith!

R9 – please let Keith know asap if this PE sample is still going to be double-blind. If so, please send the desired empty bottles asap and provide Keith with the highlighted information below. If time is an issue, there is the option of this being a blind sample with QATS sending the PE sample directly to the scheduled lab.

Thanks,

Brett Moody

OLEM/OSRTI/TIFSD/Analytical Services Branch

CLP Inorganic Program Manager

Work: 703.603.9903/Cell: 571.289.8244

**From:** Strout, Keith [<mailto:Keith.Strout@CBIFederalServices.com>]

**Sent:** Wednesday, January 18, 2017 11:05 AM

**To:** Moody, Brett <[Moody.Brett@epa.gov](mailto:Moody.Brett@epa.gov)>; Dietrick McGinnis <[dmcginnis@mcginnisandassociates.com](mailto:dmcginnis@mcginnisandassociates.com)>; Freitas, Richard <[Freitas.Richard@epa.gov](mailto:Freitas.Richard@epa.gov)>; Sturges, Susan <[Sturges.Susan@epa.gov](mailto:Sturges.Susan@epa.gov)>

**Cc:** Appleby, Charlie <[Appleby.Charlie@epa.gov](mailto:Appleby.Charlie@epa.gov)>; Hedin, Clyde <[Clyde.Hedin@CBIFederalServices.com](mailto:Clyde.Hedin@CBIFederalServices.com)>

**Subject:** RE: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Good Morning Brett,

I was just about to send an email regarding this PES. Dietrick sent me an email with the contact information, so I assume this is where the PES should be sent. We have not received the bottles for the PES, assuming that they want it in the same containers as the field samples. We have determined the

analytes and concentrations to be used, and understand that it is a soil sample. What we need at this point is the containers, if they are to be supplied to us, the size of the sample needed, number of bottles, the date needed, and a confirmation on the shipping address.

We hope this information helps.

Thanks,

Keith

Keith Strout  
Analytical Group Leader  
Quality Assurance Technical Support Laboratory  
CB&I Federal Services, LLC  
2700 Chandler Avenue, Building C  
Las Vegas, NV 89120  
702.895.8722 Direct  
702.795.8210 Fax  
[keith.strout@cbifederalservices.com](mailto:keith.strout@cbifederalservices.com)

[www.cbi.com](http://www.cbi.com)

---

**From:** Moody, Brett [Moody.Brett@epa.gov]  
**Sent:** Wednesday, January 18, 2017 9:52 AM  
**To:** Dietrick McGinnis; Freitas, Richard; Sturges, Susan  
**Cc:** Strout, Keith; Appleby, Charlie  
**Subject:** RE: PE sample(s) for Yerington Anaconda site by ICP-MS Case

Hello Everyone,

Just checking on the status of the PE samples to be included with this case....have any bottles been sent to the QATS address below? Thank you in advance for the update!

Brett Moody

OLEM/OSRTI/TIFSD/Analytical Services Branch

CLP Inorganic Program Manager

Work: 703.603.9903/Cell: 571.289.8244

**From:** Moody, Brett

**Sent:** Thursday, January 12, 2017 11:31 AM

**To:** 'dmcginnis@mcginnisandassociates.com' <[dmcginnis@mcginnisandassociates.com](mailto:dmcginnis@mcginnisandassociates.com)>; Freitas, Richard <[Freitas.Richard@epa.gov](mailto:Freitas.Richard@epa.gov)>; Sturges, Susan <[Sturges.Susan@epa.gov](mailto:Sturges.Susan@epa.gov)>

**Cc:** 'Strout, Keith' <[Keith.Strout@CBIFederalServices.com](mailto:Keith.Strout@CBIFederalServices.com)>; Appleby, Charlie <[Appleby.Charlie@epa.gov](mailto:Appleby.Charlie@epa.gov)>

**Subject:** PE sample(s) for Yerington Anaconda site by ICP-MS Case

Good Morning Dietrick, et al,

I can help facilitate the process for the double-blind PE samples. Since this a double-blind PE sample, the same sample bottles that will be used in the field need to be sent to QATS. The address to send the bottle(s) is:

Keith Strout

Quality Assurance Technical Support Laboratory  
CB&I Federal Services, LLC  
2700 Chandler Avenue, Building C  
Las Vegas, NV 89120

Items that QATS will need to know about the PE sample for preparation:

1. Analytes
2. Concentrations of analytes
3. Matrix/Matrices
4. # of bottles
5. Volume/Mass to prepare (dependent on # of bottles)
6. Delivery Name/Address to send the finished PE sample

7. Shipping dates of samples (to ensure that the solution can get to desired address in time)

Keith – please let everyone know if anything else is needed as we move along.

Thank you,

Brett Moody

OLEM/OSRTI/TIFSD/Analytical Services Branch

CLP Inorganic Program Manager

Work: 703.603.9903/Cell: 571.289.8244

**From:** Freitas, Richard

**Sent:** Wednesday, January 11, 2017 11:07 AM

**To:** Dietrick McGinnis <[dmcginnis@mcginnisandassociates.com](mailto:dmcginnis@mcginnisandassociates.com)>; Strout, Keith <[Keith.Strout@CBIFederalServices.com](mailto:Keith.Strout@CBIFederalServices.com)>; Sturges, Susan <[Sturges.Susan@epa.gov](mailto:Sturges.Susan@epa.gov)>; Appleby, Charlie <[Appleby.Charlie@epa.gov](mailto:Appleby.Charlie@epa.gov)>

**Cc:** Eidelberg, Joseph <[Eidelberg.Joseph@epa.gov](mailto:Eidelberg.Joseph@epa.gov)>; Rodriguez, Dante <[Rodriguez.Dante@epa.gov](mailto:Rodriguez.Dante@epa.gov)>

**Subject:** re: Draft technical requirements modified analysis for Yerington Anaconda site by ICP-MS

Hi everyone,

Looks like we're good to go. Sampling is scheduled to occur first week of February sometime.

Keith, can you coordinate with Dietrick on the double-blind PE samples?

As for the modified analysis, I have not yet received designation as R9 COR, Charlie, Dietrick,

are you in agreement with the attached modified analysis? Does it meet the needs of the project QAPP?

Joe – Dante will be contracting you regarding data validation needs for this project.


Let me know if you need anything assistance on this.

Rich,

R9 QA Section

415-972-3804

**From:** Rodriguez, Dante  
**Sent:** Wednesday, January 11, 2017 10:11 AM  
**To:** Freitas, Richard <[Freitas.Richard@epa.gov](mailto:Freitas.Richard@epa.gov)>  
**Subject:** Dietrick McGinnis - McGinnis & Associates, LLC



**Dante Rodriguez**

Remedial Project Manager

U.S. EPA Region 9



75 Hawthorne Street, SFD-8-2

San Francisco, CA 94105

(415)972-3166